

EXHIBIT F

[Start Free Trial](#)[< index](#)**About**[Accessibility](#)

Twitter Scraper

Scrape Twitter and scrape data such from public Twitter profiles. Collect data on URLs, hashtags, images, videos, tweets, retweets, conversation threads, followers/following, locations, and more.

[Start Free Trial >](#)

Start Free Trial



Accessibility

#	Image	Product type	Description	Rating	Delivery time
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					

Twitter

Use Bright Data’s Web Scraper IDE,

Start Free Trial



Twitter Scraper use cases

Accessibility

Scrape Twitter to monitor consumer sentiment

Find new influencers and monitor shifts in popularity

Protect your brand image by capturing users' conversations

Easily stay on top of new trending topics

Twitter Scraper Overview

- ✓ Easy data scraping for beginners
- ✓ Utilizes proprietary technology to unlock sites
- ✓ Infinitely scalable – collect as much data as you need quickly and completely
- ✓ Fully compliant with industry best practices and privacy regulations (GDPR, CCPA)

Start Free Trial >

[Start Free Trial](#)

Accessibility

Twitter profile

Collect profile data by profile URL

Twitter tweets

Collect tweets by tweet URL

Twitter keyword or hashtag

Collect tweets by keyword or #hashtag -
DEMO

Twitter keyword or hashtag

Sample Input

search

#love

Sample Output

[Start Free Trial](#)

```
"id_str": "1417746521731133443",
"full_text": "All my heart to this movie 🔄 🍷 ❤️ #love #selfcare
#WEALLHUMAN https://t.co/m1lwyJNGF4",
"truncated": false,
"source": "\u003Ca
href=\u0022http://twitter.com/download/iphone\u0022
rel=\u0022nofollow\u0022\u003ETwitter for iPhone\u003C/a\u003E",
"in_reply_to_status_id": null,
"in_reply_to_status_id_str": null,
"in_reply_to_user_id": null,
"in_reply_to_user_id_str": null,
"in_reply_to_screen_name": null,
"user_id_str": "1414891075982880770",
"geo": null,
"coordinates": null,
"contributors": null,
```

Accessibility

Twitter profile

Sample Input

url

<https://twitter.com/billieeilish>

number_of_tweets

70

Sample Output

[Start Free Trial](#)

Accessibility

```
"isVerified": true,
"bio": "Newton is a very handsome boy.",
"location": "California, USA",
"following": 2067,
"followers": 17192867,
"website_url": "http:\\\\spotify.link\\NetflixHub",
"posts": 43328,
"media_count": 10778,
"profile_background_image_url":
"https:\\\\pbs.twimg.com\\profile_banners\\16573941\\1648216530",
"profile_image_url":
"https:\\\\pbs.twimg.com\\profile_images\\1235992718171467776\\PaX2Bz1S_nor
"created": "Fri Oct 03 04:16:17 +0000 2008",
"handle": "netflix",
"collected_number_of_posts": 20,
```

Twitter tweets

Sample Input

url

<https://twitter.com/billieeilish/status/1288974168399069185>

Sample Output

[Start Free Trial](#)

```
"1448695234561380352"
],
"post_url":
"https:\\\\twitter.com\\NYUABetterTech\\status\\1448695234561380352",
"post_text": "Happening now! Join @NaDomagala, @maria_axente, Dave
Tarrant, Olivia Gambelin and hear responsible technology professionals from
different sectors sharing what skills they have found the most useful when
working in technology and data ethics.",
"post_time": "Thu Oct 14 17:00:34 +0000 2021",
"retweets": 0,
"comments": 0,
"likes": 1,
"status": "Ok"
}
```

Accessibility

Web Scraper IDE Features

Leave your scraping limitations behind with our hosted cloud solution

Pre-made web scraper templates

Get started quickly and adapt existing code to your specific needs

[Start Free Trial](#)

watch your code as you build it and debug errors in your code quickly

Built-in debug tools

Debug what happened in a past crawl to understand what needs fixing in the next version

Browser scripting in JavaScript

Handle your browser control and parsing codes with simple procedural JavaScript

Ready-made functions

Capture browser network calls, configure a proxy, extract data from lazy loading UI, and more!

Easy parser creation

Accessibility

[Start Free Trial](#)

Auto-scaling infrastructure

You don't need to invest in the hardware or software to manage an enterprise-grade web scraper

Integration

Emulate a user in any geo-location with built-in fingerprinting, automated retries, CAPTCHA solving, and more.

Built-in debug tools

Trigger crawls on a schedule or by API, and connect our API to major storage platforms

[Accessibility](#)

Leverage Twitter Scraper for the following uses:

- Get a leg up on upcoming trends, predict the next fads and fashions, and keep track of consumer sentiment

Start Free Trial



- Learn about your competitors and their customers to gain insights and advantage



Start Free Trial >

Accessibility

Everything you need from a web scraping solution

Browse Bright Data's directories

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [?](#)

[Start Free Trial](#)

Accessibility

Want to learn more?

Talk to an expert to discuss your data collection needs and see our platform in action.

[Start Free Trial >](#)**bright data**[PRODUCTS](#) ▾[PROXY SERVICES](#) ▾[PRICING](#) ▾[PROGRAMS](#) ▾[LEARNING CENTER](#) ▾[LEGAL](#) ▾[COMPANY](#) ▾[CLOUD PARTNERSHIPS](#) ▾[CUSTOMER EXCELLENCE PARTNERSHIPS](#) ▾

[Start Free Trial](#)[Start Free Trial >](#)

CONTACT US



FOLLOW US

[Accessibility](#)

© Copyright 2023 Bright Data Ltd. | All rights reserved

Bright Data Ltd. (Headquarters), 4 Hamahshev St., Netanya 4250714, Israel (POB 8025)
229 W 36th St., New York, NY 10018, United States.